Notice of Allowability	Application No.	Applicant(s)	Applicant(s)	
	10/017,446	IBATA ET AL.		
	Examiner	Art Unit	Γ	
	Heba Elkassabgi	2834		
The MAILING DATE of this communication apperall claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313  1.  This communication is responsive to 04/25/2003.  2.  The allowed claim(s) is/are 1,2,4-6,8-10,12-14,16.	(OR REMAINS) CLOSE or other appropriate cor IGHTS. This application and MPEP 1308.	D in this application. If not include	ed TUE	
<ul> <li>3.  The drawings filed on 14 December 2001 are accepted by</li> <li>4.  Acknowledgment is made of a claim for foreign priority und</li> </ul>	the Examiner. fer 35 U.S.C. § 119(a)-(c	i) or (f).		
a) ☑ All b) ☐ Some* c) ☐ None of the:				
<ol> <li>☐ Certified copies of the priority documents have been received.</li> </ol>				
2.   Certified copies of the priority documents have been received in Application No				
3. 🗌 Copies of the certified copies of the priority documents have been received in this national stage application from the				
International Bureau (PCT Rule 17.2(a)).				
* Certified copies not received:				
5. Acknowledgment is made of a claim for domestic priority ur	nder 35 U.S.C. § 119(e) (	to a provisional application).		
(a) The translation of the foreign language provisional application has been received.				
6. Acknowledgment is made of a claim for domestic priority ur	nder 35 U.S.C. §§ 120 ar	nd/or 121.		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of below. Failure to timely comply will result in ABANDONMENT of to 7.   A SUBSTITUTE OATH OR DECLARATION must be subminsformal patent application (PTO-152) which gives reasonable.	itted Note the attached I	HREE-MONTH PERIOD IS NOT	EXTENDABLE.	
8. CORRECTED DRAWINGS must be submitted.  (a) including changes required by the Notice of Draftspers  1) hereto or 2) to Paper No.  (b) including changes required by the proposed drawing c  (c) including changes required by the attached Examiner's	on's Patent Drawing Revorcection filed, was Amendment / Commen	view ( PTO-948) attached thich has been approved by the E t or in the Office action of Paper N	No	
Identifying indicia such as the application number (see 37 CFR 1.8 of each sheet. The drawings should be filed as a separate paper to	34(c)) should be written or with a transmittal letter ad	i the drawings in the top margin (no dressed to the Official Draftsperso	ot the back) n.	
9. DEPOSIT OF and/or INFORMATION about the depos attached Examiner's comment regarding REQUIREMENT FOR THE	it of BIOLOGICAL MA HE DEPOSIT OF BIOLO	TERIAL must be submitted. N GICAL MATERIAL.	ote the	
Attachment(s)				
<ul> <li>1⊠ Notice of References Cited (PTO-892)</li> <li>3□ Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>5□ Information Disclosure Statements (PTO-1449), Paper No</li></ul>	4∏ Intervi 6∏ Exam	e of Informal Patent Application (P ew Summary (PTO-413), Paper I iner's Amendment/Comment iner's Statement of Reasons for A	No	

Application/Control Number: 10/017,446

Art Unit: 2834

## **DETAILED ACTION**

## Allowable Subject Matter

Claims 1-2,4-6,8-10,12-14, and 16 allowed.

The following is an examiner's statement of reasons for allowance:

Independent Claim 1 is allowable over the prior art of Ibata et al., Koyama, and Obara recite the limitations of the claim except fro the difference of the inner diameter of the frame at the fitted section and an outer diameter of the pipe being between 0  $\mu$ m to 20  $\mu$ m.

Independent Claim 5 is allowable over the prior art of Koyama and Obara which recite the limitations of the claim except for the difference of the inner diameter of the frame at the fitted section and an outer diameter of the pipe being between 0  $\mu m$  to 20  $\mu m$ .

Independent Claim 9 is allowable over the prior art of Ibata et al., Koyama, Obara, and Okuyama, which recite the limitations of the claim except fro the difference of the inner diameter of the frame at the fitted section and an outer diameter of the pipe being between 0  $\mu$ m to 20  $\mu$ m.

Independent Claim 13 is allowable over the prior art of Koyama, Obara, and Okuyama, which recite the limitations of the claim except for the difference of the inner diameter of the frame at the fitted section and an outer diameter of the pipe being between 0  $\mu$ m to 20  $\mu$ m.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Heba Elkassabgi whose telephone number is (703) 305-2723. The examiner can normally be reached on M-Th (6:30-3:30), and every other Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nestor Ramirez can be reached on (703) 308-1371. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 305-3431 for regular communications and (703) 305-3432 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-1782.

77-

Heba Y.Elkassabgi May 27, 2003